

FAKÜLTEMİZİN 2007 YILI ULUSAL VE ULUSLARARASI BİLİMSEL YAYINLARI

1. Altundal H, Sayrak H, Yurtsever E, Göker K. Inhibitory effect of alendronate on bone resorption of autogenous free bone grafts in rats. *J Oral Maxillofac Surg.* 2007 Mar;65(3):508-16.
2. Tetik S, Uras F, Yardımcı KT. Protein oxidation: Basic view on characterisation, detection and consequences. *Adv. Mol. Med.*, 2007, 3: 63-67,
3. Bastug A., Göktürk S. ve Şişmanoğlu T., .1:1 Binary Complexes of Citric Acid with Some Metal Ions : Stability and Thermodynamic Parameters. *Reviews in Inorganic Chemistry*, (27), (1), 53-65 (2007).
4. Bastug AS, Talman RY, Göktürk S. Interactions between some aminoacids and Cu(II) ions in aqueous solutions: temperature dependence of protonation of glutamic acid and alanine and stability of their 1 : 1 binary Cu(II) complexes *Drugs of the Future Volume: 32 Pages: 131-132 Supplement: Suppl. A , 2007.*
5. S. Ayaz, F. Arioz Ozdemir, M. Pekin "The investigation of the interaction of epirubicin HCl with Fe (III) and determination of the formation constant of the EPR HCl - Fe(III)complex.", *Ovidius University Annals of Chemistry*, Vol. 18, no:1, pp 9-12, 2007.
6. R.Karadag, G.Erdogan, M.Bayar, E.Dolen, Determining stability Constant of Naringenin complexes with Aluminium (III) and Iron(II) by potentiometric and spectrophotometric methods, *Reviews in Analytical Chemistry*, Vol.26, 169-185, no:3, 2007.
7. Dilek Bilgic, Serap Karaderi and Ihsan Bapli: The Determination of the stability Constants Binary Complexes of Alizarin with Ca(II) and Zn (II) by potentiometric and spectrophotometric Methods.*Rev.Anal.Chem*,26,2,99-109, 2007.
8. S.Karaderi, D.Bilgic: Mixed - Ligand Complexes of Creatinine and L-Glutamic Acid with Co(II),Cu(II),Mn(II):Potentiometric Studies, *Rev. Inorg. Chem*,27,113-25,2007.
9. S.Karaderi, D.Bilgic,E.Dolen and M.Pekin: Determination of Stability Constants of MixedLigand Complexes of Cu(II) with Creatinine and Ethylenediamine Tetra Acetic Acid or L- Glutamic Acid:Potentiometric Methods. *Rev. Inorg. Chem* 27,6,459-473,2007.
10. Top C, Yildiz S, Oncül O, Qydedi T, Cevikbaş A, Soyogul UG, Cavuşlu S.J Phagocytic activity of neutrophils improves over the course of therapy of diabetic foot infections. *Infect.* 2007 Oct;55(4):369-73.
11. Oncul , S . Yildiz , U . Gurer , E . Yeniiz , T . Qyrdedi , C . Top , P . Gocer , B . Akarsu , A . Cevikbas , S . Cavuslu Effect of the function of polymorphonuclear leukocytes and interleukin- 1 beta on wound healing in patients with diabetic foot infection . *Journal of Infection* , Volume 54 , Issue 3 , Pages 250 - 256.
12. Ç.Ünsal,G.Sarıyar,B.Gürbüz Akarsu, A.Çevikbaş.Antimicrobial Activity and Phytochemical Studies on Turkish Samples of Papaver macrostomum. *Pharmaceutical biology*,Vol.45, Issue 8,Pages 626-630.
13. Ümran Soyoğul Gürer, Yıldız Yıldırım, Ayşe Palandüz, Pervin Rayaman, Nural Bekiroğlu, Adile Çevikbaş, Nimet Kayaalp.Investigation of the Effects of some Antibiotics and Vitamin a on the Polymorphonuclear Leukocyte Functions of Neutropenic Children.*Erkan Rayaman, Turkish Journal of Pharmaceutical Sciences*, Vol.4,Issue 1,sayfa 15-24.

14. Tuzlacı, E., Alparslan, D.F., Turkish folk medicinal plants, Part V: Babaeski (Kırklareli), İstanbul Ecz. Fak. Mec., 39, 25-37 (2007).
15. Tuzlacı, E., Sadıkoğlu, E., Turkish folk medicinal plants, Part VI: Koçarlı (Aydın), İstanbul Ecz. Fak. Mec., 39, 25-37 (2007).
16. Tuzlacı, E., Emre Bulut, G., Turkish folk medicinal plants, Part VII: Ezine (Çanakkale), İstanbul Ecz. Fak. Mec., 39, 39-51 (2007).
17. Dumlu, M., Emre Bulut, G., Some Biological Activity Investigations on *Ballota acetabulosa*, İstanbul Ecz. Fak. Mec., 39, 53-56 (2007).
18. Tuzlacı, E., Dekoratif Türkiye Bitkileri, Alfa Yayınları (2007).
19. Bitiş, L., Anatomical and preliminary chemical studies on the leaves of *Cotinus coggyria* Scop.xml:namespace prefix = o ns = "urn:schemas-microsoft-com:office:office" / Kültür, Ş., J.Fac.Pharm. İstanbul 38(2) (2007).
20. Bitiş, L., Süzgeç, S., Sözer, U., Özçelik, H., Zapp, J., Kiemer, A.K., Meriçli, F., Meriçli, A.H. Diterpenoid Alkaloids of *Delphinium buschianum* Grossh.. *Helvetica Chimica Acta* 90 (11), 2217-2221 (2007).
21. Küçükgül SG, Küçükgül I, Tatar E, Rollas S, Sahin F, Güllüce M, De Clercq E, Kabasakal L. Synthesis of some novel heterocyclic compounds derived from diflunisal hydrazide as potential anti-infective and anti-inflammatory agents. *Eur J Med Chem.* 2007 Jul;42(7):893-901.
22. Kocyigit-Kaymakcioglu B, Yilmaz U, Aricioglu F. High pressure liquid chromatographic analysis of in vivo metabolites of N-(substituted phenyl)-N'-(1,3,5-trimethyl pyrazole-4-yl)thioureas in rats. *Eur J Drug Metab Pharmacokinet.* 2007 Oct-Dec;32(4):225-32.
23. Yananlı H, Gören MZ, Berkman K, Aricioglu F. Effect of agmatine on brain L-citrulline production during morphine withdrawal in rats: a microdialysis study in nucleus accumbens. *Brain Res.* 2007 Feb 9;1132(1):51-8.
24. Yananlı H, Gören MZ, Berkman K, Aricioglu F. Resveratrol alleviates bleomycin-induced lung injury in rats. Sener G, Topaloğlu N, Sehirli AO, Ercan F, Gedik N. *Pulm Pharmacol Ther.* 2007;20(6):642-9.
25. Tunali-Akbay T, Sener G, Salvarli H, Sehirli O, Yarat A. Protective effects of Ginkgo biloba extract against mercury(II)-induced cardiovascular oxidative damage in rats. *Phytother Res.* 2007 Jan;21(1):26-31.
26. Ginkgo biloba extract reduces naphthalene-induced oxidative damage in mice. Tozan A, Sehirli O, Omurtag GZ, Cetinel S, Gedik N, Sener G. *Phytother Res.* 2007 Jan;21(1):72-7.
27. Sağlam B, Cikler E, Zeybek A, Cetinel S, Sener G, Ercan F. An aqueous garlic extract alleviates water avoidance stress-induced degeneration of the urinary bladder. *BJU Int.* 2006 Dec;98(6):1250-4.
28. Tuğtepe H, Sener G, Cetinel S, Velioglu-Oğünç A, Yeğen BC. Oxidative renal damage in pyelonephritic rats is ameliorated by montelukast, a selective leukotriene CysLT1 receptor antagonist. *Eur J Pharmacol.* 2007 Feb 14;557(1):69-75.
29. Dulundu E, Ozel Y, Topaloglu U, Sehirli O, Ercan F, Gedik N, Sener G. Alpha-lipoic acid protects against hepatic ischemia-reperfusion injury in rats. *Pharmacology.* 2007;79(3):163-70.
30. Tuğtepe H, Sener G, Biyikli NK, Yüksel M, Cetinel S, Gedik N, Yeğen BC. The protective effect of oxytocin on renal ischemia/reperfusion injury in rats. *Regul Pept.* 2007 May 3;140(3):101-8.

31. Zeybek A, Sağlam B, Cikler E, Cetinel S, Ercan F, Sener G. Taurine ameliorates stress-induced degeneration of the urinary bladder. *Acta Histochem.* 2007;109(3):208-14.
32. Sener G, Sehirli O, Toklu H, Ercan F, Alican I. Montelukast reduces ischaemia/reperfusion-induced bladder dysfunction and oxidant damage in the rat. *J Pharm Pharmacol.* 2007 Jun;59(6):837-42.
33. Dulundu E, Ozel Y, Topaloglu U, Toklu H, Ercan F, Gedik N, Sener G. Grape seed extract reduces oxidative stress and fibrosis in experimental biliary obstruction. *J Gastroenterol Hepatol.* 2007 Jun;22(6):885-92.
34. Toklu HZ, Tunali-Akbay T, Erkanli G, Yüksel M, Ercan F, Sener G. Silymarin, the antioxidant component of *Silybum marianum*, protects against burn-induced oxidative skin injury. *Burns.* 2007 Nov;33(7):908-16.
35. Şener G, Sakarcan A, Sehirli O, Ekşioğlu-Demiralp E, Sener E, Ercan F, Gedik N, Yeğen BC, Sehirli O, Sakarcan A, Velioglu-Oğünç A, Çetinel S, Gedik N, Yeğen BC, Sener G. Chronic renal failure-induced multiple-organ injury in rats is alleviated by the selective CysLT1 receptor antagonist montelukast. *Toxicol Appl Pharmacol.* 2007 Jul 1; 222(1): 33-41
36. Sener G, Sehirli AO, Gedik N, Dülger GA. Rosiglitazone, a PPAR-gamma ligand, protects against burn-induced oxidative injury of remote organs. *Burns.* 2007 Aug;33(5):587-93.
37. Akici A, Kalaça S, Uğurlu U, Toklu HZ, Oktay S. Antihypertensive drug utilization at health centres in a district of Istanbul. *Pharm World Sci.* 2007 Jun;29(3):116-21.
38. Clark PM, Karagoz T, Apikoglu-Rabus S, Izzettin FV.: Effect of pharmacist-led patient education on adherence to tuberculosis treatment. *Am J Health Syst Pharm.* 64(5):497-505, 2007.
39. Koçyiğit-Kaymakçioğlu B., Ünsalan S., Küçükgülzel Ş.G., Şener G., Rollas S. "HPLC-UV/DAD analysis for in vivo metabolites of 4-nitrobenzoic acid[(5-nitro-2-thiophenyl)methylene]hydrazide in rats" *Eur J Drug Metab Pharmacokinet.*, 32 (4), 197-203 2007.
40. Yazıcı D., D Y.Gogas, Unsalan S., Toprak A., Yüksel M., Deyneli O., Aydın H., Tezcan H., Rollas S., Akalin S., "Temporal effects of low dose ace inhibition on endothelial function in type 1 diabetic patients," *J. Endocrinol Invest*, 30, 726-733, 2007.
41. Aksoy B., Küçükgülzel İ., Rollas S. "Development and validation of a stability-indicating hplc method for determination of ciprofloxacin hydrochloride and its related compounds in film-coated tablets." *Chromatographia* 66, Suppl. 1, 57-63, 2007.
42. Omurtag G.Z., Tozan A., Sirkecioğlu O., Kumbaracı V., Rollas S. "Occurance of diacetoxycirpenol (anguidine) in processed cereals and pulses in Turkey by HPLC." *Food Control*, 18, 970-974, 2007.
43. Unsalan S., Rollas S. "Synthesis and primary cytotoxicity evaluation of new diaryltriazenes." *Indian J. Chem. Sec. B-Org. Chem. Inc. Med . Chem.* 46 (1), 185-191, 2007.
44. Toklu HZ, Dumlu MU, Sehirli O, Ercan F, Gedik N, Gökmen V, Sener G. Pomegranate peel extract prevents liver fibrosis in biliary-obstructed rats. *J Pharm Pharmacol.* 2007 Sep;59(9):1287-95.
45. Sener G, Sakarcan A, Sehirli O, Ekşioğlu-Demiralp E, Sener E, Ercan F, Gedik N, Yeğen BC. Chronic renal failure-induced multiple-organ injury in rats is alleviated by the selective CysLT1 receptor antagonist montelukast. *Prostaglandins Other Lipid Mediat.* 2007 Jun;83(4):257-67.

46. Sehirli O, Sakarcan A, Velioglu-Ogüncü A, Cetinel S, Gedik N, Yeğen BC, Sener G. Resveratrol improves ifosfamide-induced Fanconi syndrome in rats. *Toxicol Appl Pharmacol.* 2007 Jul 1;222(1):33-41.
47. Sener G, Aksoy H, Sehirli O, Yüksel M, Aral C, Gedik N, Cetinel S, Yeğen BC. Erdosteine prevents colonic inflammation through its antioxidant and free radical scavenging activities. *Dig Dis Sci.* 2007 Sep;52(9):2122-32.
48. Şener G, Şehirli O, Tozan A, Velioglu-Ovunç A, Gedik N, Omurtag GZ. Ginkgo biloba extract protects against mercury(II)-induced oxidative tissue damage in rats. *Food Chem Toxicol.* 2007 Apr;45(4):543-50. Epub 2006 Aug 30,
49. Sener G, Sehirli AO, Toklu HZ, Yuksel M, Ercan F, Gedik N. Erdosteine treatment attenuates oxidative stress and fibrosis in experimental biliary obstruction. *Pediatr Surg Int.* 2007 Mar;23(3):233-41.
50. Şener G, Toklu HZ, Çetinel Ş. B-glucan protects against chronic nicotine-induced oxidative damage in rat kidney and bladder. *Environ Toxicol Pharmacol*, 23: 25-32, 2007.
51. Turkoglu M., Cigirgil N. "Evaluation of black tea gel and its protection potential against UV" *Int. J. Cosmet. Sci.* 29: 437-442, 2007.
52. Zeybek A, Ercan F, Cetinel S, Cikler E, Saglam B, Sener G. Protective effects of aqueous garlic extract in reducing water avoidance stress-induced degeneration of the stomach, ileum, and biochemical study. *Dig Dis Sci.* 2007 Nov;52(11):2984-92.
53. Omurtag, G.Z., and Beyoğlu, d., "Occurrence of deoxynivalenol (vomitoxin) in beer in Turkey detected by HPLC", *Food Control*, Feb.; 18(2), 163-166, (2007).
54. Tozan, A., Şehirli, Ö., Omurtag, G.Z., Çetinel, Ş., Contuk, G., Gedik, N. And Şener, G., "Ginkgo biloba extract reduces naphthalene-induced oxidative damage in mice", *Phytotherapy Research*, 21, 72-77, (2007).
55. Omurtag, G.Z., Tozan, A., Sirkecioğlu, O., Kumbaracı V., And Rollas, S. "Occurrence of diacetoxyscirpenol (anguidine) in processed cereals and pulses in Turkey by HPLC", *Food Control*, 18(8), 970-974, (2007).
56. Şener, G., Sehirli, Ö., Tozan, A., Velioglu-Övunç, A., Gedik, N., and OMURTAG, G.Z., "Ginkgo biloba extract protects against mercury (II)-induced oxidative tissue damage in rats", *Food and Chemical Toxicology*, 45(4): 543-550, (2007).
57. Gül, H., Omurtag, G., Önal, A.E., Clark, P.M., Tozan, A., And Özel, S. "Nonprescription medication purchases and the role of pharmacists as health care workers on self-medication in Istanbul", *Medical Science Monitor*, 13(7), PH9-14, (2007).
58. Beyoğlu, D., And Omurtag, G.Z., "Occurrence of naphthalene in honey in Turkey by HPLC", *J. Food Prot.*, 70(7), 1735-1738, (2007)
59. Keskin, Y., Baskaya, R., Ozyaral, O., Yurdun, T., Lüleci, N:E., And Hayran, O. "Cadmium, lead, mercury and copper in fish from the Marmara Sea, Turkey", *Bull. Environ. Contam. Toxicol.*, 78(3-4), 258-261, (2007).
60. Türkoğlu, M. and Cığirgil, N., Evaluation of black tea gel and its protection potential against UV. *Int. J. Cosmet. Sci.*, 29: 437-442 (2007).
61. Çelik Ö., Akbuğa J. 'Preparation of superoxide dismutase loaded chitosan microspheres: characterization and release studies. *European Journal of Pharmaceutics and Biopharmaceutics*, 66(1) (2007) 42-47.
62. Sezer, A.D. J. Akbuğa, A.L. Baş. 'In vitro evaluation of enrofloxacin-loaded MLV liposomes' *Drug Delivery*, 14(1)(2007)47-53.

63. Sezer, A.D., Cevher, E., Hatipođlu, F., Ođurtan, Z., Bař, A.L. ve Akbuđa, J., "Chitosan film containing fucoidan as a wound dressing for dermal burn healing: preparation and in vitro/in vivo evaluation", AAPS PharmSciTech., 8(2) (2007) 1-8.